



TURFCARE

SPECIALISTS LTD



Products and Services Brochure

Football & Rugby



Masterline PM79 20kg

Suitable for Sports field Renovations

- Contains - 4turf Tetraploid Perennial Ryegrass for
- Stronger establishment
- Exceptional disease resistance and winter performance
- Drought tolerant
- Excellent colour

Sowing Rate: 35-75g /m2 Overseeding: 25-75g /m2 Mowing Height: Down to 25mm



Barenbrug Multi Sport 20kg

Football, Rugby and multi-use sports fields

- Excellent speed of establishment and recovery from winter wear
- Suited for multi-use sports pitches
- 100% Perennial Ryegrass
- Includes two of the top-6 ranked ryegrasses in BSPB Table S1
- Dark green genetic colour and high wear tolerance

Sowing rate: 30-50g Overseeding: 15-30g/m² Mowing height down to 10mm



Barenbrug RPR Sport 20kg

Football and Rugby stadium environments

- 100% perennial ryegrass for areas of intensive traffic
- Gives a very dense sward, excellent wear tolerance
- Unparalleled recovery after wear
- Faster establishment compared to normal perennial ryegrasses

Sowing rate: 30-50g Overseeding: 15-30g/m² Mowing height down to 10mm

Cricket & Bowls



Masterline PM10 Traditional Green 20kg

Suitable for Golf Greens & Bowling Greens

- Ideal mixture for greens renovation
- Rapid germination
- Excellent year round colour
- Improves disease resistance

Sowing Rate: 35g /m²

Overseeding: 25g /m²

Mowing Height: Down to 5mm



Masterline PM36 Wicket 20kg

Suitable for Cricket Wicket, Tennis and Tee renovations

- Highly rated close mown cultivars
- Rapid germination
- Excellent density and resistance to wear under close mown conditions.

Sowing rate: 25-50g m²

Overseeding: 20-30g/m²

Mowing height down to 2-4mm



Johnsons's J Premier Wicket 20kg

Cricket square renovation mixture

- High Performance for County & Professional Squares
- Outstanding Shoot Density & Recovery
- Fine Leaf Quality & Clean Cutting
- High Disease Resistance & Stress Tolerance

Sowing rate: 35-75g m²

Overseeding: 25-75g/m²

Mowing height down to 2mm

Cricket & Bowls



PM 5 Economy Green

Suitable for Golf Greens and Bowling Greens

- traditional 80:20 mixture
- Quick to germinate and establish
- The seed mix is tolerant of close mowing and wear
- Produces a dense, attractive sward with good colour

Sow Overseeding: 25g /m²

Mowing Height: Down to 5mm



Barenbrug Classic 80:20 20kg

Golf greens and bowling greens

- Combination of high shoot density and disease tolerance
- Traditional 80:20 mix of red fescue and browntop bentgrass
- Year-round performance

Sowing rate: 20-530g m²

Overseeding: 10-00g/m²

Mowing height down to 4mm



Barenbrug Extreme 20kg

Tees, fairways, walkways, cricket squares and outfield, tennis courts and high-traffic lawns.

- Fast establishment
- 100% perennial ryegrass
- Good tolerance of close-mowing regimes
- Produces a medium-fine turf for intensive wear

Sowing Rate: 25-50g /m²

Overseeding: 20-30g /m²

Mowing Height: Down to 2-5mm

Cricket & Bowls



PM 35 Universal

Suitable for Cricket Squares, Tees and Tennis Courts

- high quality turf type perennial ryegrass cultivars
- fast establishment and strong soil binding characteristics
- Excellent wear tolerance
- Delivers a lush, vibrant green finish
- Quick recovery

Sowing Rate: 35-50g /m²

Over-seeding: 25-50g /m²

Mowing Height: Down to 5mm



Barenbrug Ultrafine 60 20kg

Golf greens, tees, fairways, bowling greens, cricket outfields and tennis courts

- 60% blend of fine turf perennial ryegrass and red fescue
- Medium-fine and fine turf under high wear pressure
- Proven drought tolerance, Nitrogen-use efficiency, and disease resistance

Sowing rate: 25-35g m²

Overseeding: 15-25g/m²

Mowing height down to 4mm



Barenbrug Ultrafine 100 20kg

Golf greens, surrounds, tees, fairways, walk-offs, bowling greens, tennis courts, cricket outfields

- 100% blend of fine turf perennial ryegrasses
- Offers unparalleled performance for perennial ryegrass under close-mowing
- Barolympic is the stand-out cultivar ryegrass for summer sports use

Sowing rate: 25-50g m²

Overseeding: 20-30g/m²

Mowing height down to 2-4mm

Cricket & Bowls



Barenbrug Ultrafine 30 20kg

Golf greens, tees, fairways and bowling greens

- 30% perennial ryegrass and red fescue blend for fine turf.
- Easy to blend in with other grass species
- Outstanding aesthetics and density in the mixture
- Overseeding and construction of fine turf with moderate wear.

Sowing Rate: 25-35g /m² Overseeding: 15-25g /m² Mowing Height: Down to 4mm



Barenbrug Ultrafine 60 20kg

Golf greens, tees, fairways, bowling greens, cricket outfields and tennis courts

- 60% blend of fine turf perennial ryegrass and red fescue
- Medium-fine and fine turf under high wear pressure
- Proven drought tolerance, Nitrogen-use efficiency, and disease resistance

Sowing rate: 25-35g Overseeding: 15-25g/m² Mowing height down to 4mm



Barenbrug Ultrafine 100 20kg

Golf greens, surrounds, tees, fairways, walk-offs, bowling greens, tennis courts, cricket outfields

- 100% blend of fine turf perennial ryegrasses
- Offers unparalleled performance for perennial ryegrass under close-mowing
- Barolympic is the stand-out cultivar ryegrass for summer sports use

Sowing rate: 25-50g m² Overseeding: 20-30g/m² Mowing height down to 2-4mm

Fertiliser



Angus 6-9-6 Pre-Seeder 20kg

Pre-seeder fertiliser in 2-4mm granules is a great way of ensuring that your grass seed gets off to the best possible start. It's especially good when used on thin or low nutrient soil. It's high phosphorus content not only aids seed germination, but also helps promote a healthy root system. It is also excellent when applied as a lawn tonic throughout the growing season.

Application rate: 50g/m²



ProloNg Grow-In 20-4-20 20kg

The potential longevity following spring/summer application is 2-3 months and 5-6 months following autumn/winter application, based on recommended application rates. These longevities are to be used as a guide as plant variety and density, environmental conditions and timing of application will dictate nitrogen use and therefore the speed in which applied nitrogen is utilised.

ProloNg® Grow-In contains 92% of nitrogen (N) from urea with ProloNg® technology and 8% of ammoniacal nitrogen.

Application rate: 35–50 g/m²



ProloNg 28-3-15 20kg

ProloNg® High N Spring & Summer is a blended 2-5 mm granular fertiliser that contains 96% of the nitrogen content as urea with our ProloNg® technology and 4% of the nitrogen content as ammoniacal nitrogen. This product is a low-salt formulation to promote a healthy root zone, and it is ideal for fairways, outfields and sports pitches.

Application rate: 35–50 g/m²

Fertiliser



Angus Spring Summer 9-7-7 20kg

Our Turf Care 2-4 mm granular fertilisers are homogenous, meaning that all of the nutrients are present in every granule, which enables even and consistent application. The 2-4 mm granules are suitable for use on fairways, outfields and sports pitches.

Application rate: 35-50g/m²



Spring Summer 12-0-9 20kg

The products in this range are a balanced complex of granules that are manufactured with ease of application and plant safety as a priority. The inclusion of iron generates a rich green colour, while magnesium and potassium ensure good cell structure and chlorophyll production.

All products in this range are 100% homogenous to ensure even nutrient distribution. The Turf Care range is available as mini (1 – 2.5 mm) granules.

Application rate: 35–50 g/m²



Spring Rise 10-4-4 20kg

Turf Rise granular fertilisers have been specially formulated by Angus Horticulture to supply all required nutrients to fine turf throughout the growing season. The micro granules offer an extremely high-quality product with the added advantage of better spreading ensuring and more even grass response in both growth and colour.

Application rate: 35–50 g/m²

Liquid Fertiliser



BioActive Seaweed

This concentrated liquid seaweed extract derived from *Ascophyllum nodosum* without the use of chemicals is an industry leader. A great source of plant nutrients and organic carbon, BioActive Seaweed promotes strong and vigorous growth.

BioActive Seaweed also promotes excellent root development as well as increasing the ability of plants to withstand pressure from disease and environmental stresses.

Application rate: 3-5 ltrs to 300-500 ltrs of water per h/a



Angus FeN™ 5-0-0 + 5% Fe

Angus FeN™ is a high-quality liquid iron product that is suitable for use on all sports and non-sports grass surfaces. Iron (Fe) is an important plant nutrient (trace element) because it is crucial for chlorophyll production and therefore enhances leaf colour as well as improving stress tolerance when used as part of a full nutrition programme.

Angus FeN™ is a complexed iron product offering a fast response and long-lasting green-up for all turf surfaces. It is also a non-staining formulation.

Application rate: 20–40 ltrs diluted in 300–500 ltrs of water per h/a.



Angus 12-0-4.5 + seaweed + humates

Our range of Turf Care Liquid NPK fertilisers includes the ideal product formulation for every season and situation. Our Turf Care Liquid fertilisers are manufactured on-site using high quality raw materials. Turf Care High N & K contains 10.75% ureic nitrogen (N) for foliar uptake and 1.25 % nitric nitrogen for immediate uptake. The Turf Care range of products include potassium from a chloride-free source.

Application rate: 25–75 ltrs diluted in 300–600 ltrs of water per h/a.

Liquid Fertiliser



Turf Care N:K Pro 10-0-12.5 + seaweed + humates

Our range of Turf Care Liquid NPK fertilisers includes the ideal product formulation for every season and situation. Our Turf Care Liquid fertilisers are manufactured on-site using high quality raw materials, and the include ureic nitrogen for swift and efficient foliar uptake. The Turf Care range of products also include potassium from a chloride-free source.

Application rate: 25–75 ltrs diluted in 300–600 ltrs of water per h/a



Turf Rise SRN 12-0-15 + TE

Angus SRN liquid fertilisers provide slow release nitrogen (SRN) for highly efficient foliar application and long-lasting root zone treatments. Turf Rise SRN Liquid fertilisers are available in a range of formulations with 60% of the nitrogen (N) in each product being Methylene Urea (MU). This carefully balanced combination provides a two-phase effect – instant green-up followed by slow release.

Application rate: 25–75 ltrs diluted in 300–600 ltrs of water per h/a



BioActive Invigo™ Plus

BioActive Invigo™ Plus 7-0-3 + TE + humates & carbohydrates (w/v)

BioActive Invigo™ Plus is designed to provide an organic-based feed for all grass surfaces and has the added benefit of iron (Fe) complexed with carbohydrates and humates.

Invigo™ Plus is formulated with 75 % organic or natural raw materials, which provide both readily available and slow-release macro and secondary nutrients. Invigo Plus contains more than 1.7 % of humic substances.

Application rate: 25–50 ltrs diluted in 300–500 ltrs of water per h/a

Chemicals




N-Virol Algae & Lichen Killer 5ltr

Specifically designed to be active against mould, fungi, algae and lichen on external hard surfaces. It is highly soluble in water and contains no acids or bleaches which could damage surfaces on which they are applied. Simply applied using a watering can or low pressure sprayer.

Algae killer for removing algae, moss and lichen from your path, patio, drive and decking. It is an excellent all surface external cleaner and is ideal for roofs, patios and driveways.

Coverage: 1:19 dilution 100m2



Gallup Biograde 360 Glyphosate 5ltr

It is a foliar applied total herbicide for the control of annual and perennial grass and broad-leaved weeds. It can be used in many crops, for the destruction of grassland, in orchards, green cover on land not being used for production, forestry and non-crop areas. This is a quality glyphosate formulation which will control all general weeds and grasses.

Rate per H/a	Dilution per H/a	Weeds Controlled
3 ltrs	15ml per ltr	Annual broad-leaved
5 ltrs	25ml per ltr	Most perennial



Turfmaster Selective Weedkiller 10ltr

A powerful 3 way mix herbicide suitable for amenity grassland and managed amenity turf. As one of the few products remaining on the market with mecoprop-p as one of the active ingredients, it is particularly effective on broad-leaved weeds such as buttercup, clover, dandelion, daisy, thistle and plantains.

Boom Sprayer Rate: 5ltr per H/a (2ltr per Acre)

Pack Coverage: up to 2 H/a

Line Marking



Pitchmark Clubline Line Marking Paint 10ltr

The ideal line marking paint for groundsmen and clubs tasked with marking out sports pitches regularly. This versatile and weather-resistant concentrate is specifically designed for use on natural grass and is suitable for both spray and transfer wheel line marking machines.

Application rate: 2.5ltr to 4ltr of water for 1 full sized football pitch

10ltr can mark up to 4 football pitches



Pitchmark Transfer Line Marking Paint 10ltr

The perfect solution for clubs looking to achieve highly satisfactory results without breaking the bank, Transfer is a hassle-free and cost-effective ready-to-use line marking paint designed for sports clubs with limited time and budget. Pitchmark's specially formulated paint is designed to be used neat through any traditional transfer line marker.

10ltr can mark up to 2 standard football pitches



Pitchmark Direct Line Marking Paint 10ltr

An exceptional low volume ready-to-use line marking paint that creates exceptionally bright and long-lasting lines. With superior pigments and binders, Direct dries extremely fast, allowing other grounds maintenance equipment to be used on the sports pitch almost immediately.

3ltr marks 1 full sized football pitch

Line Marking



Pitchmark AGP Line Marking Paint 10ltr

Artificial Grass Paint is the ultimate solution for line marking on synthetic turf surfaces, including 3G and 4G, as well as hard surfaces like car parks and tennis courts. With its superior formulation, AGP offers a highly visible and durable line that lasts up to several months.

Application: Dry, surface temperature above 10°

Drying time: 24 hours



Acrylic Linemarker Aerosol 750mls

Quick-drying and durable formulation (lead and xylene-free) is ideal for general marking on a variety of surfaces including concrete, tarmac, wood, and composites. With its high colour pigment it creates bright marks that are built to last meanings sites doesn't need remarking after poor weather or high footfall. The fast-drying formulation means that you are ready to go quickly. Specially formulated for freehand marking, applicator marking or stenciling. Can be used as a line marker or as a general marking out paint.



Snowcal Line Marking Powder 25kg

Snowcal 30 is a line marking powder ideal for wet and muddy conditions as a dry powder. It can be mixed with water to apply as a marking paint if warm, dry weather permits. The marker will produce white, economical and brilliant lines on such grass areas as the rugby or football pitch, the tennis court or athletic track ensuring year-round results.

Mix rate: 2kg per 1ltr of water

Machinery



Broadcast Spreader

The Professional Fertiliser Spreader is an all-round broadcast spreader which has a polypropylene hopper that sits on a powder coated frame with pneumatic tyres & enclosed gearing. It has a folding handle and multiple feed setting control with a maximum spreading width of 3m.

This Professional Fertiliser Spreader is suitable for spreading lawn fertiliser, lawn sand and seed. It has a 23kg (50lb) capacity hopper with adjustable flow rate, allowing you to use a full bag at a time.



Classic Line Marker Range

The Pitchmark Classic line markers feature a timeless design inspired by the wheel-to-wheel line marking machines, enhanced by contemporary manufacturing techniques. Crafted from premium-grade materials, this machine adheres to strict quality standards. With its user-friendly interface, the Classic model is well-liked by both novice and expert groundskeepers, including those at multiple Premier League clubs.

Wheel sizes available: 50mm, 75mm, 100mm, 120mm



Machinery for sale

Check out our website or facebook page to keep up to date with machinery that we have for sale.

Search Turfcare Specialists on facebook or visit www.turfcarespecialists.co.uk

Fox Cylinder Mowers

Green Edition Cylinder Mower

A 14 bladed fine turf mower complimented with a choice of bottom blades providing the ultimate cut, with a reliable Briggs & Stratton engine. A first with a new unique front non-stick roller. A simple yet secure height adjustment with chassis indicator for returning with pin point accuracy. An enhanced particularly fine adjustment allowing a fraction of movement to configure the cylinder and bottom blade, based on a tried and tested mechanism that has been used for decades. All metal cogs, chain driven and particularly smooth throttle control. Gearing to provide the correct cylinder rpm with further accurate gearing to assure the correct forward speed. Weighted (85kg approx) and balanced for easy manoeuvrability and operator comfort.

- Bespoke UK manufactured professional quality 14 bladed cylinder
- Briggs & Stratton engine complemented by an initial unique workshop running in process
- 20" Cut - 80kg all steel chassis with full chain and metal cog drives
- Particularly fine impressive cylinder/bottom blade adjustment
- Weighted front roller specifically sprayed & baked with non stick outer coating
- Single yet lockable height adjustment
- Height indicator providing pin point accuracy when returning to a preset height
- Gearing and cylinder tip speed calibration providing absolute precision cutting
- Well balanced & easy maneuverability
- Stabilized for precision control.
- Geometrically setup with precision accuracy.



Fox Cylinder Mowers

Green Edition Verti Cutter

A Completely New & Unique Verticutter Design - (Patent pending) a first and the most advanced verticutter, professional or otherwise!

Brush Assisted Verticutter - Each 10mm spacer, fitted between each cutting disc, has 11 brush clusters specifically engineered to sit in front of each of the 11 cutting eyes on the cutting disc and protruding by 3 mm beyond each cutting disc, lifting the lateral grass 'nano' seconds before being cut, all in addition to standard verticutting.

- Verticutting & Brushing - All at the same time!
- Briggs & Stratton engine complemented by an initial unique workshop running in process
- 10mm Cutting Disc Spacing - Spacing every 10mm not 12mm+, increasing the number of cutting discs per unit.
- 2mm Cutting Discs - Resulting in noticeably stronger discs that don't bend, the thickest/strongest on the market.
- Stainless Steel Discs - Cutting discs that will not rust, unlike the conventional mild steel.
- Affordable Replacements - Cutting discs and Spacer Brushes can be replaced individually at an affordable cost.
- Dedicated Machines - The geometry of the machine is designed such that the Verticutter sits lower in the machine allowing the chassis to be raised and thus stabilized, i.e the chassis is not on the floor 'causing skating'.



Fox Cylinder Mowers

Black Edition Cylinder Mower

Designed for the more regular user with again a 14 bladed cylinder with a new hardened Titanium Nitride coated tipped shaver blade. Complimented by a genuine Honda GX200 series Commercial engine, the most powerful engine fitted to a 20" machine. A first with a new unique front non-stick roller. Geared to provide optimum cylinder revolution and comfortable forward speed. Upgraded British manufactured Donghua superior quality chains. In summary a 14 blade professional cylinder, a Titanium Nitride coated shaver blade and Honda GX200 the Fox Black Edition is the highest spec 20" cylinder mower available to date and providing the most advanced cut of all.

- Bespoke UK manufactured professional quality 14 bladed cylinder
- Titanium Nitride Coated hardened shaver blade
- Genuine Honda GX200 Engine complemented by an initial unique workshop running in process
- 20" Cut - 80kg all steel chassis with full chain and metal cog drives
- Particularly fine impressive cylinder/bottom blade adjustment
- Weighted front roller specifically sprayed and baked with non stick outer coating
- Simple single yet lockable height adjustment
- Height indicator providing pin point accuracy when returning to a preset height
- Gearing and cylinder tip speed calibration providing absolute precision cutting
- Well balanced and easy maneuverability
- Stabilized for precision control.
- Geometrically setup with precision accuracy.



Fox Cylinder Mowers

Black Edition Verti Cutter

A Completely New & Unique Verticutter Design - (Patent pending) a first and the most advanced verticutter, professional or otherwise! The Black Edition benefits from the upgraded genuine Honda GX200 commercial engine providing effortless power, gearing improvements and chain upgrades.

Brush Assisted Verticutter - Each 10mm spacer, fitted between each cutting disc, has 11 brush clusters specifically engineered to sit in front of each of the 11 cutting eyes on the cutting disc and protruding by 3 mm beyond each cutting disc, lifting the lateral grass 'nano' seconds before being cut, all in addition to standard verticutting.

- Verticutting & Brushing - All at the same time!
- 10mm Cutting Disc Spacing - Spacing every 10mm not 12mm+, increasing the number of cutting discs per unit.
- 2mm Cutting Discs - Resulting in noticeably stronger discs that don't bend, the thickest/strongest on the market.
- Stainless Steel Discs - Cutting discs that will not rust, unlike the conventional mild steel.
- Affordable Replacements - Cutting discs and Spacer Brushes can be replaced individually at an affordable cost.
- Dedicated Machines - The geometry of the machine is designed such that the Verticutter sits lower in the machine allowing the chassis to be raised and thus stabilized, i.e the chassis is not on the floor 'causing skating'.



Services

Football & Rugby

For 40 years we have been providing clubs across the North East & Cumbria with top quality ground maintenance, from nutritional programmes, to full pitch renovations and (re)construction, we have the skills and experience to give you a fully supportive grounds maintenance service.

Annual Renovation

- Surface removal
- Primary and secondary drainage
- Laser grading

In-Season Maintenance

- Deep tine aeration
- Overseeding
- Weed and disease control products
- Sand and rootzone application
- Seed, fertiliser, sand, rootzone, and top dressing supplies



Services

Cricket

Turfcare Specialists Ltd has extensive knowledge in the construction and renovation of a successful cricket pitch maintenance service. End of season renovation is essential in restoring a worn wicket and should be timed correctly to guarantee its playability for the following season.

A renovation would typically involve the following:

- Surface removal – providing a level playing surface, removing annual meadow grass, weaker/older ryegrass plants and thatch and plane saddled ends
- Graden – deep scarification for root pruning and lateral growth
- Loam application
- Seed application
- Drag matting – loam and seed are dragged evenly to ensure final levels are true
- Deep tine aeration – relieve compaction, encourage new root growth and improve surface drainage



Services

Bowls

End of season maintenance is an important factor in ensuring a bowling green is in the best possible condition for the following season. Varying works can be undertaken but would usually involve a combination of the following to achieve a comprehensive bowling green maintenance service:

- Deep tine aeration – for relieving compaction and encouraging new root growth
- Deep scarification – provides increased aeration and thatch removal for improved surface drainage
- Hollow tining – provides aeration and thatch removal resulting in improved surface drainage and new root growth
- Overseeding – introduces new cultivars into the bowling green surface
- Top Dressing – removes surface irregularities and encourages seed germination
- Seed, fertiliser and top dressing supplies
- Weed, disease and worm control products



Services

Drainage

Whatever type of sporting activity, efficient and effective drainage is essential in maintaining a good quality playing surface. An efficient drainage system will eliminate most of the problems, reduce compaction and allow easier and more effective maintenance.

Improved drainage will result in better soil structure, a healthier sward and ultimately a better playing surface.

A waterlogged pitch is good for nothing. It can result in cancelled games and financial losses, but it can be avoided altogether. A new and improved drainage system can produce a healthier soil structure, which can be much easier to maintain in the long run.



PRICES. Prices charged will be those current at the date of dispatch or collection and are therefore subject to alternation without prior notice.

WEIGHTS Unless otherwise stated all weights mentioned in this price list, or on containers, indicate gross weight when packed.

LIABILITY No liability shall fall on the seller from any injury, loss or damage, caused either directly or otherwise, by the goods.

TITLE All goods shall remain the property of T.S.L. until due payment has been made in full.

TERMS OF PAYMENT Net cash on, or before, 30 days from the date of invoice. The seller reserves the right to payment on request. Any invoice outstanding after 30 days may have interest added on a daily basis.

FORCE MAJEURE Orders are accepted subject to force majeure and subject to supplies being available. The seller has the right to suspend, or cancel, wholly or in part, any orders they may have on hand, at any time.

DELIVERY No guarantees can be given that the goods will be delivered at any specified time. Deliveries are subject to the availability of transport.

NON-DELIVERY, LOSS OR DAMAGE The seller shall not be deemed responsible, in any case, for non-delivery, loss or damage, unless the buyer complies with the following; The buyer must advise the seller and the carrier, in writing, within the following time limits:-

A. Non-delivery of the whole consignment, or any separate part of it, within TEN DAYS of dispatch or invoice

B. Partial loss of or damage to any goods, within THREE DAYS of delivery.

DELIVERY SURCHARGE We regret that due to high administration costs, orders under £150.00, exclusive of VAT and carriage charges, will be subject to surcharge of £10.00 (plus VAT).

QUALITY. We reserve the right to use alternative materials when we deem that they are more suitable, or necessary.

RETURNS No goods can be accepted back for credit without permission and a 15% handling charge will apply. On heavy goods or equipment, any additional carriage charged incurred may also be levied. This will not apply where there is a justifiable complaint against the quality of goods.

Contact Details: 1-4 Crag Works, Pont Lane, Leadgate, Consett, Co Durham, DH8 6LA

Call 01207 505 837 OR text 07736 058 024 (SMS and WhatsApp)

info@tsl-ne.co.uk